

#### **Product information**

### 02 06 180 SB

## **High Leverage Combination Pliers**

DIN ISO 5746 IEC 60900 DIN EN 60900



**≙1000 V** ■

- 35% less effort required than with conventional combination pliers
- With cutting edges (hardness approx. 63 HRC) for heavy duty
- Easier work due to optimised leverage
- Easier cutting, powerful gripping, bending and pulling
- Long cutting edges for thicker cables
- With gripping zones for flat and round material, suitable for versatile
  use
- Precise, minimal light gap between the gripping jaws to ensure optimal function of the cutting edges
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 63 HRC

General	
Article No.	02 06 180 SB
EAN	4003773040804
Pliers	chrome-plated
Head	chrome-plated
Handles	insulated with multi-component grips, VDE-tested
Weight	268 g
Dimensions	180 x 84 x 29 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details	
Cutting capacities hard wire (diameter)	Ø 2.5 mm
Cutting capacities piano wire (diameter)	Ø 2.0 mm
Cutting capacity copper cable, multiple-stranded	Ø 11.5 mm
Cutting capacity copper cable, multiple- stranded	16.0 mm <sup>2</sup>
VDE tested	yes

technical change and errors excepted

# **KNIPEX** Quality – Made in Germany















# **KNIPEX** Quality – Made in Germany





