

## Product information

# 77 12 115

## Electronics Diagonal Cutter

DIN ISO 9654



- Round head, with small bevel and lead catcher - no uncontrolled loss of cut wire ends
- Cutting edge hardness approx. 62 HRC
- For fine cutting work, e.g. in electronics and fine mechanics
- Load-optimised for a more direct feel when working
- Sturdy, zero-backlash box joint
- Low-friction double spring for gentle and even opening
- The polish or mirror polish together with a fine film of oil offer effective rust protection - no circuit faults caused by peeling chrome from plated tools
- Cutting edges additionally laser hardened, cutting edge hardness approx. 60 HRC
- Narrow sleeves pulled up to the head of the pliers enable the tool to be guided securely and comfortably, also between thumb and index finger




### General

|                 |                            |
|-----------------|----------------------------|
| Article No.     | 77 12 115                  |
| EAN             | 4003773043768              |
| Head            | mirror polished            |
| Handles         | with multi-component grips |
| Weight          | 70 g                       |
| Dimensions      | 115 x 69 x 17 mm           |
| Standard        | DIN ISO 9654               |
| REACH compliant | does not contain SVHC      |
| RoHS compliant  | not applicable             |

### Technical details

|  |                |
|--|----------------|
| Cutting capacities medium hard wire (diameter) | Ø 1.2 mm       |
| Schneidwerte harter Draht (Durchmesser)        | Ø 0.6 mm       |
| Cutting capacities soft wire (diameter)        | Ø 0.3 – 1.6 mm |
| Jaw length (B)                                 | 14 mm          |
| Jaw thickness (joint) (D)                      | 7.5 mm         |
| Head width (A)                                 | 11 mm          |



technical change and errors excepted

