

Product information

88 02 180

KNIPEX Alligator®

Water Pump Pliers

DIN ISO 8976



- Good access to the workpiece due to slim size of head and joint area
- More output and comfort compared to conventional water pump pliers of the same length: 9-notch adjustment positioning for 30 % more gripping capacity
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- Gripping surfaces with special hardened teeth, teeth hardness approx.
 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched





| General | |
|-----------------|----------------------------|
| Article No. | 88 02 180 |
| EAN | 4003773044222 |
| Pliers | black atramentized |
| Head | polished |
| Handles | with multi-component grips |
| Weight | 210 g |
| Dimensions | 180 x 53 x 18 mm |
| Standard | DIN ISO 8976 |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |

| Technical details | |
|---------------------------------------|--------------|
| Adjustment positions | 9 |
| Capacity for pipes, inches (diameter) | Ø 1 1/2 Inch |
| Capacities for nuts | 36 mm |
| Capacities for pipes (diameter) | Ø 42 mm |

technical change and errors excepted

KNIPEX Quality – Made in Germany









Self-locking on pipes and nuts: no slipping on the workpiece; the complete actuating force can be used to turn the workpieces; not having to squeeze the pliers handles reduces the required effort







KNIPEX Quality – Made in Germany



