

Product information

88 02 300 T

KNIPEX Alligator®

Water Pump Pliers

DIN ISO 8976

- Pliers with tether attachment point for mounting a fall protection system
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched



General

| | |
|-----------------|---|
| Article No. | 88 02 300 T |
| EAN | 4003773080183 |
| Pliers | black atramentized |
| Head | polished |
| Handles | with multi-component grips, with integrated tether attachment point for a tool tether |
| Weight | 595 g |
| Dimensions | 300 x 65 x 25 mm |
| Standard | DIN ISO 8976 |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |

Technical details

| | |
|---------------------------------------|--------------|
| Adjustment positions | 9 |
| Capacity for pipes, inches (diameter) | Ø 2 3/4 Inch |
| Capacities for nuts | 60 mm |
| Capacities for pipes (diameter) | Ø 70 mm |
| Drop Protection System | yes |

technical change and errors excepted



Self-locking on pipes and nuts: no slipping on the workpiece; the complete actuating force can be used to turn the workpieces; not having to squeeze the pliers handles reduces the required effort

