

## Product information

# 97 53 14 SB

## Self-Adjusting Crimping Pliers for wire ferrules

With lateral access



- With hexagonal compression
- Also for Twin wire ferrules up to 2 x 10 mm<sup>2</sup> or 2 x AWG 8
- For wire ferrules up to 16 mm<sup>2</sup>
- Adjusts automatically to the wire ferrule size for precise and quick crimping
- Crimping of wire ferrules according to DIN 46228 parts 1+4
- UL approval in conjunction with KNIPEX wire ferrules 97 99 330 - 399
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Tools have been set precisely (calibrated) in the factory
- Optimum transmission of force thanks to toggle lever for fatigue-reduced operation
- Narrow handle width
- Ergonomic and comfortable handle, smooth operation and lightweight
- Special quality chrome vanadium electric steel, oil-hardened

### General

Article No.	97 53 14 SB
EAN	4003773048497
Pliers	burnished
Handles	with multi-component grips
Weight	410 g
Dimensions	180 x 74 x 25 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable

*technical change and errors excepted*



The crimping pliers can be adjusted to large wire ferrules of 16 mm<sup>2</sup> or 2 x 10 mm<sup>2</sup> with the adjusting wheel.




Also suitable for twin wire ferrules: capacity up to 2 x 10 mm<sup>2</sup>



Suitable for fine conductors: crimps fine conductors from 0.08 mm<sup>2</sup>



Enormous capacity: crimps single wire ferrules up to 16 mm<sup>2</sup> or twin wire ferrules up to 2 x 10 mm<sup>2</sup>



97 53 14: Hexagonal crimp with automatic size adjustment



