

### **Product information**

### 97 53 19

### **KNIPEX** Twistor® T

Self-Adjusting Crimping Pliers for wire ferrules With rotatable die head

- Crimp head can be rotated 360°, with 8 locking positions
- Wire ferrules can be crimped from almost any working position
- Trapezial crimp profile, high capacity range from 0.14 to 10 mm<sup>2</sup>
- Crimping pliers adjust automatically to different cross-sections
- Crimp opening accessible from both sides, a length of up to 18 mm can be crimped in one operation, extra-long wire ferrules can be fed in
- Crimping of Twin wire ferrules up to 2 x 6 mm<sup>2</sup> possible
  Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Line tand handy tool, manual force reinforced by toggle lever mechanism



### MM 🔄 🥔 🥔 🔊

#### General

ocheral and a second se	
Article No.	97 53 19
EAN	4003773088097
Pliers	chrome-plated
Head	chrome-plated
Handles	with multi-component grips
Weight	486 g
Dimensions	200 x 80 x 26 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable

#### Technical details



•	
Application	Wire ferrules
Capacity in square millimetres	0.14 — 10 mm²
AWG	26 — 8
Number of crimp profiles	1

technical change and errors excepted

# KNIPEX Quality – Made in Germany















# KNIPEX Quality – Made in Germany















# KNIPEX Quality – Made in Germany







