

## Product information

# 98 99 12

### Standard Tool Case

26 parts

With insulated tools for works on electrical installations

IEC 60900 DIN EN 60900






- Shock-resistant plastic case
- Equipped with a range of insulated KNIPEX tools for works on electrical installations
- Foam inserts with recesses for the tools
- Fixable partition wall
- Dimensions, exterior (W x H x D): 440 x 105 x 385 mm





























⚡ 1000V

General	
Article No.	98 99 12
EAN	4003773026631
Weight	4,710 g
Dimensions	380 x 100 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details	
Inside compartments	26 pcs

Content	
03 07 200	x Combination Pliers (200 mm) ⚡ 1000V 
70 07 160	x Diagonal Cutter (160 mm) ⚡ 1000V 
98 00 10	x Open-end wrench (10 mm) ⚡ 1000V 
98 00 11	x Open-end wrench (11 mm) ⚡ 1000V 
98 00 12	x Open-end wrench (12 mm) ⚡ 1000V 

Content	
98 00 13	x Open-end wrench (13 mm) ⚡1000V 
98 00 14	x Open-end wrench (14 mm) ⚡1000V 
98 00 17	x Open-end wrench (17 mm) ⚡1000V 
98 00 19	x Open-end wrench (19 mm) ⚡1000V 
98 20 25	x Screwdrivers for slotted screws (0,4 x 2,5 x 75 mm) ⚡1000V 
98 20 35	x Screwdrivers for slotted screws (0,6 x 3,5 x 100 mm) ⚡1000V 
98 20 40	x Screwdrivers for slotted screws (0,8 x 4 x 100 mm) ⚡1000V 
98 20 55	x Screwdrivers for slotted screws (1,0 x 5,5 x 125 mm) ⚡1000V 
98 24 00	x Screwdriver for cross recessed screws Phillips® (PH0) ⚡1000V 
98 24 01	x Screwdriver for cross recessed screws Phillips® (PH1 x 80 mm) ⚡1000V 
98 24 02	x Screwdriver for cross recessed screws Phillips® (PH2 x 100 mm) ⚡1000V 
98 40	x T-Handle Drive with driving square 1/2" (165 mm) ⚡1000V 
98 47 10	x Hexagon Socket for hexagonal screws with internal square 1/2" (10 mm) ⚡1000V  
98 47 11	x Hexagon Socket for hexagonal screws with internal square 1/2" (11 mm) ⚡1000V  
98 47 12	x Hexagon Socket for hexagonal screws with internal square 1/2" (12 mm) ⚡1000V  
98 47 13	x Hexagon Socket for hexagonal screws with internal square 1/2" (13 mm) ⚡1000V  
98 47 14	x Hexagon Socket for hexagonal screws with internal square 1/2" (14 mm) ⚡1000V  
98 47 17	x Hexagon Socket for hexagonal screws with internal square 1/2" (17 mm) ⚡1000V  
98 47 19	x Hexagon Socket for hexagonal screws with internal square 1/2" (19 mm) ⚡1000V  
98 52	x Cable Knife (185 mm) ⚡1000V
98 53 03	x Stripping Knife (155 mm) ⚡1000V



**Accessories**

98 99 12 LE

Standard Tool Case empty,

*technical change and errors excepted*